



# Gun System DYNAWELL 51mm 20spm 60°

## Configuration Schematic



## Shot Pattern



## Technical Information

| Shot Interval | Gun Length | Shot Total | Gun Weight w/o explosive components | <b>Carrier Specifications:</b>                    |                         |
|---------------|------------|------------|-------------------------------------|---|-------------------------|
| 1 m           | 1.26 m     | 21         | 8,6 kg net                          | Pressure Rating                                   | 138 MPa<br>20,000 psi   |
| 2 m           | 2.26 m     | 41         | 15,3 kg net                         | Temperature Rating                                | 230 °C<br>450 °F        |
| 3 m           | 3.26 m     | 61         | 22,0 kg net                         | Tensile Strength                                  | 343,000 N<br>77,000 lbs |
| 4 m           | 4.26 m     | 81         | 28,7 kg net                         | Tandem Shot Spacing                               | 0.40 m<br>1.31 ft       |
| 5 m           | 5.26 m     | 101        | 35,4 kg net                         | Carrier Thread                                    | 1.687" - 6 TPI Acme     |
| 6 m           | 6.26 m     | 121        | 42,0 kg net                         | Only to be shot in fluid when using zinc charges. |                         |

## Selection Chart

| Item                    | 1 m       | 2 m     | 3 m     | 4 m     | 5 m     | 6 m     |
|-------------------------|-----------|---------|---------|---------|---------|---------|
| Gun System for 6,5g DP  | 2315633   | 2315635 | 2315637 | 2315639 | 2315641 | 2315643 |
| Charge Tube for 6,5g DP | 2315661   | 2315663 | 2315665 | 2315667 | 2315670 | 2315672 |
| Carrier                 | 2315506   | 2315508 | 2315510 | 2315512 | 2315614 | 2315616 |
| Retention Ring          | on demand |         |         |         |         |         |
| Booster Kit             | 2315723   |         |         |         |         |         |
| Spacer Gun Kit          | on demand |         |         |         |         |         |

Revision: RP02026AC